G R. S 58]

Previous references

Rel 495-05 (1167)
Rel 267-07 (1157)

1907-8
(Municipal)

File No 267-07

Serial Nos
3 4,5 6,7 8 9 10 11 12 13
14, 15; 16

Later references

Rel 403-12)1-2)July 13.
5 < 7-14
5 11; 15

Rel 182-1583-3,749 Sept 1916
Rel 211-1593 1-6

GENERAL AND REVENUE SECRETARIAT.

Part B for 2- July 13

SUBJECT

Water Supply to Nanjangud.

From the Municipal President Mysore Dt- Rc 86 dt 2-3-08
Reports that PWD propose to substitute [illegible] scheme for the present gravity scheme [illegible] filters for present sand filters at Nan[illegible] [illegible] Rs 1[illegible]) that the Municipal Board agree to this, and that they request Govt to sanction a grant in aid [illegible] the scheme

Letter No 3077 dt 6-5-08 from the Chief Engineer
States that the Executive Engineer Water Supply and Stores Dn has proposed [illegible] an alternative scheme of installing Steam plant with [illegible] filters costing Rs 14000 for Nanjangud Water Supply in lieu of the sanctioned [illegible]

... that the ... cipal Board have agre... to ... maintenance charge amounti... ... requiring that Rs 6970- may ... estimate and Rs 14000- made available for ... the ... official year's budget.

Docket No 3518 dt 27-10-1910 to ... Comm ...

Enquires what portion of the initial cost ... Rs 21 268/- the Munc Board were willing to bear and whether they are prepared to pay the full ... of ... ual maintenance charge as already

Letter No 3246 dt 30-11-10 from the same Offr

Submits a copy of Munc Councils resol... to the effect that they are not in favour of supply from the Gundal river, but a supply ... be given from Kapila river and even a higher cost and if that is done, they would ... 10000/- towards the initial cost

To the Chief Engr No 3374 dt 19-12-1910

Enquires what the Cost probable ... and recurring charges of a project for supply ... from Kapila river would be —

From the Same Offrcn No 8050 dt 27-1-12

Submits a project for pumping up and ... water from Kapila river at an initial ... Rs 35653 and a recurring maintenance ... Rs 4400 per annum

... the Engr ... Mysore dt No 5976 dt ...

... a copy of ... with the enclosure ... as called for by the Municipal Council, ... the wisdom of providing funds for ... and ... ing water works.

... from the Dy Comm No 5366 dt 4-12-12 ...

... that in the opinion of the ... Council ... Kapila ...

R.S 11] 1907 8

GENERAL AND REVENUE SECRETARIAT

(Municipal)

NOTES

File No. 2/63

FILE HEADING

Water Supply to Nanjangud

From the President of the Municipality,

No. 588 Dated 23.3.1907 Received 25.3.1907

Entry No 7024 | Enclos. | Spare Copies. | Serial No 3

BRIEF ABSTRACT OF LETTER.

Reports that the C.N.D propose to substitute a pumping scheme for the present gravity Scheme and the Secretary requests sanction to the proposal of the present Sand fillers at Nanjangud at a cost of Rs 4000, that the Municipal Board agree to levy a water rate not exceeding 6% to sanction a grant in aid Rs 2000/ towards the scheme.

NOTES AND ORDERS

In G.O No 6440-2 dated 26.7.06 dated the 8th January 1907 a Scheme amounting to Rs 5,907 was sanctioned for carrying the proposed the Water Supply Storage Tank at Nanjangud. From the Water Supply

sheet.

Secretary

GPB -30,000—20-3-06

G R S. 12]
General and Revenue Secretariat.

Jud File No. 267 of 1907

Serial F

Executive Engineer's letter enclosed in the President's above Communication it would appear that any expenditure incurred on the Storage Tank would not be of much use

2 The new Scheme is said to cost Rs 14,000. The Municipal Board propose to utilize the amount (Rs 5707) sanctioned for improving the storage tank for the new Scheme and request Govt to sanction the balance Rs 8000 in round figures as grant-in-aid to the Municipal Board. It is submitted that a moiety of the cost of the present water works was granted [illegible] as a grant-in aid to the Municipal Board.

Cost of the present water supply works was Rs 39,604 and Rs 19,802

3. The Annual maintain cost of the new works is said to amount to Rs 3,200 which the Board agree to bear, but the Executive says that in the interests of the Sanitary works in the town the Board must be required to pay a Contribution of Rs 2,000/ a year towards the maintenance charge of the water works.

Note:- Contra sheet.

General and Revenue Secretariat.

Jul File No. 267 of 1907

Serial No

[How the balance has to be used is not stated]. Seeing that Nanjangud is an important place of pilgrimage, the Mysore Protected Board and the people at Nanjangud may be asked to contribute a portion to bear a portion of maintenance charges at least, if they cannot contribute anything towards the cost of the Scheme.

4 The proposed Scheme will have to be placed before the Central Sanitary Board

5 The financial condition of the Nanjangud Municipal Board for the current and ensuing years are as shown below

	Sanctioned estimates for 1907-08	Proposed estimate for 1908-09.
	Rs.	
Opening balance.	13,713	
Receipts	14,740	13,560
Total	28,453	
Expenditure	15,614	13,738
Closing balance	12,839	

Submitted for orders.

The

HCK 2 1908.

Note.— Contd sheet.

File No. 267 of 1907

Serial No

Question as to whether the Govt are prepared to make the grant may be considered before the Project is referred to the Central Sanitary Board for opinion.

CB
28/3/08

6 If the Munt agrees to pay the whole cost of maintenance either by itself or in conjunction with the Dt Board myself & the Manjan-ad temple, an initial grant-in-aid of say 7000 R - half the cost of the scheme - may be made. Before passing orders further orders the Dt Bd myself & the Municipal Dept on behalf of the Temple may be asked if they are prepared to contribute to the initial & recurring charges of the Scheme.

Dewan through 1st Cl

CSB
3/4/08

6357
4 4 1908

7 There is little hope of the Municipal Dept helping - The expenditure has to be divided between Municipal & District Funds vested perhaps by a State

Work— Cloth sheet.

GPB—50,4017—3-07

Serial No

by a State Grant

2 - The pumping system combined with a Jewel pressure filter is certainly preferable to the gravity system combined with a sand filter now existing - The former has been sanctioned for Mentar

3. The annual maintenance Charges are stated to be ₹3200, and this the Municipal Council have agreed to bear - This point had better therefore rest there -

4 The initial cost is ₹1000, which is ₹700 (not ₹800) more than what has been sanctioned with provision of funds for the improvement of the existing gravity & sand filter system - This extra ₹700 ought to be found from Budget Funds - This may be ordered, subject to an understanding that a deficiency if any can hereafter be treated as a State Grant

5 In supersession therefore of the orders contained in G.O 6460 of 8th June with which this may be given effect to, the pumping & Jewel filter project

NOTE— Contd sheet.

HPB—20,000—17-9-07

Ind 26/22/4

project in hand at once — The
funds (7000 Rs) Rs 15 Apvd
already sanctioned
will be sufficient for
the Current year outlay The rest
can be found in next years budget

20/
2.4.08

8 It is not clear whether the estimated cost of
Rs 14,000 includes charges on account of
both & plant Hrs maybe kindly ascertained if
these charges are not to now included, they maybe
to estimate added, to bel there maybe no mistake about the
cost afterwards
Secy)

Hrs
Kindly make the
above point clear

dB
20/4

9 The estimate for Rs 14,000/
does not include the establish
ment and other charges amounting
to Rs 2520/ @ 18% on the
Cost of the work. This
is 5%

HHS
20/4/1908

Rs
22/4/08

8800
2.5.4.08

Ordered by Dewan
the reference to the Central
Secretary Board
Hrs IV

G. R. S. 12]
General and Revenue Secretariat.

Jud File No. 267 of 1907

Serial No.

4 Forwarded unofficially to the Sanitary Commissioner with the Govt of N.W.P. the Maharaja of Jaypur's for obtaining and Communicating to this Office the resolution of the Sanitary Board on the project for Rs 14,000/- re improvement of water supply to the town of Dhaulpur.

By order.

for offg Secretary to Govt, Genl & Rev. Depts

4 O
no 96
dt 19/5/08

H.M.
18/5/08

13 A copy of the Resolution of the Central Sanitary Board as hereunto submitted -

3-10 1907

Sanitary Commr

14/5/08

Note.—Contd sheet.

P.P.—80,000—17-6-07

[24]

(Cap. S. 12)
General and Revenue Secretariat.

Mc File No. 267 of 1907

Serial No. 6

Letter 22-3077 dated the 6th inst from the Chief Engineer states that the Executive Engineer, Water Supply and Sewers has forwarded an alternative scheme of installing steam plant with boilers at a cost of Rs 40000 the Navigangad Water Supply in lieu of the one sanctioned for raising the storage tank at an est of Rs 69700. and that the Bd have also agreed to bear annual maintenance charges viz Rs 3200/- and requesting that the sum of Rs 6920/- may be returned and a sum of Rs 40,000 made available for the work the each official year's budget.

2-7024

14 The President's reference to Govt on this subject was submitted to the Under Secretary with the Dewan on the 24th April 1907 and may this reference be submitted in continuation on which orders thereon awaited

Nothing submitted for orders.

9/5

15 Send this calm to Govt

16 694

16/5/08

23

11/5

The file was returned by Govt with the Dewan's order

CPB—20,000—17-6-07

G&R. S. 12]
General and Revenue Secretariat

Jud File No. 67 of 1907

Serial No.	
1908 5/08	17 The file has been referred carefully to the Sanitary Commissioner for the opinion of the Bombay Central Sanitary Board on the proposals for Mhow Rs. When return may be awaited. HCKemp 16/5/08 22-5-08

Note—Contin sheet.

GPB—50 GR—17-3-07

Serial No

14 File received. The proposal as now revised and approved by the C & Roads Costs Rs 24,363/- The annual maintenance Charges are estimated at Rs 2537/- (minimum) & Rs 2827/- (max). Besides this, provision will have to be made for depreciation of plant, which will be about Rs (30000 - 2827) = 1700 Rs.

15 The financial condition of the Ranipingode Municipality as per current year's Budget is as follows.

Opening balance =	25523
Estimated income =	14,600
Total =	40,123
Estimated expenditure =	24422
Closing balance =	15,707

16 The municipal Pres. may be consulted as to what portion of the actual cost of Rs 24,000 they are willing to bear.

(Sd) 13.10.10

1066
14.10.10

and if they are prep... to pay the full maintenance charge, as already agreed

14/10/10

NOTE—Contn. sheet

GPB—50,000—12-8-10

3618

[E S. 12]
G[illegible]eral and Revenue Secretariat.

ML File No. 267 of 1907

Serial No.

and the Residents' letter may be forwarded to the Chief Engineer and he may be requested to report what the medical and recurring charges of ~~establishment~~ a project ~~for~~ for supplying water from the Hapeni river will be

1st Cr) 7 12-10 ... ... Mlle

15-89
15-12-10

23 ... approved MLA
10/12/10
C.S.

24 Please put up draft
10 12-10 Mlle

25 Draft letter submitted
MLA
C.S.
26 Mlle
15-12-10 [illegible]

To the Chief Engineer of Nyasa No. 5376/03 17-12-10.

27 Engineer what the probable initial and recurring charges of a project for supplying water from the Kafila River would be.

From the above officer No. 8058 27-1-1912.

28 Submits a project for pumping & supplying water from the Kafila river at an initial outlay Rs 35,653 and involving a recurring maintenance charge of Rs 361 per annum [illegible] per cent.

29 As explained in the Chief Engineers

Note—Contn sheet

Serial No.

Letter the Kapila project would cost Rs 11,290 apparently more than that of the Gundla project. But the Chief Engr states that the Letter's figures has not been correctly calculated and a number of items have been left out in the estimate and that consequently the probable difference would be only Rs 5,924 or about Rs 6000.

30 As regards the maintenance charges, the Kapila project is expected to cost 3,611 Rs per annum in the beginning and Rs 4,100 ultimately against Rs 3000 and 3500 in the case of the Gundla project. The excess in the former case would be more than Rs 600 per annum in the beginning and Rs 900 ultimately.

31 The financial condition of the Manjangada Municipality as per current year's budget estimates (adopting the Comptr's final figures which have just now been received) is as follows:—

Opening balance on 1st June 1911 - Rs	30,161
Receipts	13,316
Total	43,477
Expenditure	16,713
Closing balance	26,764

The Municipality will thus have a decent closing balance and can thus well afford to incur the initial cost of the project. But it is not known

Note—Contn sheet]

G. R. S. 12]
General and Revenue Secretariat.

File No. 267 of 1907

Serial No.

whether the full amount of this moiety (about Rs 8 lacs) can be spared as it is probable that the funds of the municipality have been allowed to accumulate in connection with the drainage and other projects also. In their proceedings dated 10th Oct 1910 the Municipal Council were willing to give Rs 4 lacs. The Municipal Council will have to be consulted again as to what amount they are willing to set apart towards the initial cost.

3. It is also a question for consideration whether a municipality with an annual income of about Rs 13,000 will be able to bear an annual recurring charge of Rs 3611 to 4,400 on account of maintenance charges alone. The probability is that it cannot bear and it will therefore have to count upon help from [illegible]. On this point the Mayavaram District Board and Branch II will have to be consulted.

Submitted for orders.

Rm. 3/11/10

33 The Central Board may [illegible] consulted as regards the project. If the Board approves of it, the Mayavaram Municipal Council may be asked whether it will adopt it and how much [illegible]

NOTE—Orders above

GPS—30,000—18-8-10

G. R S. 12]
General and Revenue Secretariat.

File No. 267 of 1907

Journal No.

the cost it will take
and how it proposes to meet the
recurring charges. The question
the recurring charges should be
met out of municipal funds and
no contributions can be made
directly from the Provincial or
District Funds for meeting such
charges. The Municipal Council
may if necessary levy a water-tax
(1st Cr) 5.2.12. Mlle

34 in the first instance
The project may be referred to
the Nanjangud Municipal Coun
cil. If they approve of it and
provide the necessary funds,
then it may be sent to the
Central Sanitary Board for
scrutiny &c.
Nanjangud is periodically
devastated by Cholera, plague
&c. A pure water supply is
of the utmost importance for
the health of the town to which
pilgrims resort all the year
round The water supply
scheme introduced by Mr Standish
Lee

Note—Contin sheet

GPB—50,000—12-8-10

Serial No.

has proved a failure. The scheme now sent up deserves consideration

35 Put up draft

7 2-12

36 Draft put up.

37 Issue

12-2-12.

9. To the Dy Commr, Tinpare District. No 5796 21-12-1912.

38) Forwards copy of P.C. No 28 with its enclosures in original and calls for the Municipal Council's views in the matter of the funds for carrying out and maintaining the water-works.

10 39) From the Dy Commr. No 5836 d 29th April 12 (D 1384) States that the Municipal Commissioners are of opinion that the capital outlay should be divided between the Municipal funds in equal proportions & the maintenance charges be met from the general funds of the

Note—Contin. sheet.

Serial No.

proportion of two hundred & one to
40 The project for supplying water
to Nanjangud from the Kapini
river is estimated at Rs 35,62,3
and the annual main-
tenance cost is estimated at
Rs 3611 in the beginning & Rs 4400/-
when the population reaches
10000. Like the original
project for supply of water
from the Gundlu river, the present
estimates do not seem to
include establishment & tools
& plant charges at 17½ per & 5 per
respectively With the above
charges added, the capital
outlay will be Rs 420 35 &
the annual maintenance
charges at Rs 4260, the minimum
& Rs 5192, the maximum
According to the resolution
of the Municipal council of
Nanjangud, a sum of Rs
21017 will be met from the
Ind funds towards the initial
outlay & sums of 2840, minimum
& Rs 3461 maximum will be re-

Note—Contin. sheet.

Serial No.

annually on account of maintenance charges. The contribution from the municipal funds will have to be Rs 21017 on account of the water supply + Rs 1420 minimum + Rs 1730 maximum on account of the annual maintenance charges

41) The financial condition of the Municipality is as noted below

Actual balance on 1st July 1911 —	Rs 30,556
Estd receipts for 1911-12	Rs 13,316
Total	Rs 43,872
" Expenditure	Rs 16,713
" closing balance	27,159

42) The Municipal Branch has to be consulted in the matter. As stated above (para 32) it is also a point for consideration whether the municipality will be able to meet the maintenance charges

6384 17/19

G. R. S. 12]

General and Revenue Secretariat. | Govt File No. 867 of 1917

Serial No.

43) Submitted for orders

7.5.19 hmw
7/5/19 43) Forwarded to the Municipal Council in connection with the initial and recurring charges of the water supply scheme.

8 S - 12 Hill

Minor Misc No. 21 of 1912

44) The proposal is that a sum of Rs 21017 as initial outlay, and Rs 1420 (minimum) + Rs 1731 (maximum) being annual recurring charges, should be contributed by the funds of the Sri Vinkambuwa Swami temple. The income of the temple per annum is made up of the following items:-

1) Cash Tasdik - Rs 20127-11-0
2) Other sources - Rs 3939-1-0

Total 24066-12-0

* This is made up of interest on Bonds invested in Municipal 4% loans, Rs 1260 invested in Govt. of India 3½% loans, & income from lands.

45) The revision of the scale of

Note—Contin. sheet.

GPS—20,000—20-1-13

6284 18
2D

G R. S 12]

General and Revenue Secretariat. | Ind File No. 267 of 1912

Serial No.

Expenditure in the temple is under the consideration of Govt. This scale as revised by the Deputy Comr & the Murrah Superintendent leave a margin of only about 500 Rs per year for the expenses of the temple

47) When the question of the construction of a dispensary in Nanjangud came up in 1904, the temple could not contribute anything towards it, and the dispensary was subsequently opened at the cost of the Provincial & District Funds.

48) The Murrah funds at the credit of the Nanjangud temple are, it is thus clear, not able to contribute anything towards the cost of the water supply to Nanjangud town.

Sd 13/5/12

To Branch IV

Sd 13/5/12

B 5 12

Rs 13/5/12

49) Submitted for orders.

Sd 13/5/12

Notes—Contin. sheet.

D 869 Hand 20

4/5/12

GPS—30,000—20-1 12

6:4 17

R. S 12] 21

General and Revenue Secretariat | File No. 267 of 1917

Serial No.	
50)	Please put up a draft to the Deputy Comr intimating to him that the Muzrai Dept pleads inability to contribute anything towards the initial or recurring charges (as in the note above) and enquiring how in the circumstances, the charges would be met. 18 5 12 Hle
51)	Draft submitted 2nd Cr 22-5 12 Hle
52)	Draft appd by 2? Cr 23 20/5
53)	Issue 26 5 12 Hle
54)	To Dy Comr Mysore No 902 d 28 5 12. Request him to state how in the circumstances the charges will be met
55)	From the Dy Comr No 1570 18 9 12 (D 1814) Stating that the Ind Comm

Note—Contn. sheet.

Serial No.

to bear from their funds the initial & recurring charges & pray for a loan of half the initial cost from the State funds to be repaid by annual instalments of Rs 1000

5) The 2nd Council have not considered the cost on account of establishment & tools & plant charges The initial cost will be Rs 42035 & Govt will have to sanction a loan of Rs 21000 to the Mty. The Mty expect a recurring additional income of Rs 5000 from the revision of house tax & tolls & levy of water tax. This may be sufficient to meet the annual maintenance charges which may come up to Rs 4260 the minimum & Rs 5190 the maximum. For the repayment of the loan the 2nd Council will have to find a recurring charge of Rs 1000 out of their usual expenditure by [redacted] economy repairs reducing the allowance

Note—Contin. sheet.

General and Revenue Secretariat | Mal File No. 267 of 1917

Serial No

for Public works or other items. The financial condition of the Municipality according to the budget for 1912-13 is noted below:—

Opening balance Rs	26,764
Receipts "	14,441
Total "	41,205
Expenditure "	13,157
Closing balance "	28,048

As the Mal Council have approved to meet the entire charge the opinion of the Central Sanitary Board may be invited as regards the project. The papers may be referred unofficially to the Sanitary Commr.

5-7) Submitted for orders

TLS 6-9
Hdg/MC(12)

5-8) As the Mal Council propose to meet the charge fully themselves, with the help of a loan from Govt. the project may now be sent to the Central Sanitary Board for opinion

&c)

Spl 28.9.12

NOTE—Contin. sheet.

GPB—65,000—1-6-12.

[S 1½]

General and Revenue Secretariat

File No. 167 of 1912

Serial No

59) I should like to know if the anticipated increase in the Municipal Boards anticipated increasing its receipts by Rs 5000 by the revision of house taxes & tolls & the levy of water taxes is likely to be realised. The Prescient has not stated on what basis or data the above estimate of anticipated increase in the receipts has been arrived at.

60) Please put up also a copy of the latest Budget of Municipality

EB 10/11

SDR 11/11

61) Draft calling for the required information is submitted for approval

TNA 69 13/11/12

62) Seen

SDR 15/11/12

13 63) To Dy Comr Mysore No. 3594 dt 18 11 12. Requests him to state the basis or data on which the above estimate of anticipated increase in the receipts has been arrived at.

Notes—Contin. sheet.

GPB—65,000—17-6-12.

Put file No 269-07

Submitted to Secretary, General and Revenue Departments.

14-1-13

(64) The Dewan will be glad if the scheme fo. improving the water-supply to the Nanjangud Town be expedited and submitted to him early.

11/1/13

(65) Engrs. Engrs 12.

11/1

(66) Put up the papers

11/1/13

(67) Further information has been called for in the matter as directed by the Secy in para 5 supra. Draft of a D.O. reminder is submitted for approval or other orders.

11/1/13

(68) Draft slightly altered for issue after issuing the Draft, Submit the Case to the Private Secy for laying the

1514

[R S 12]

General and Revenue Secretariat

File No. 67 of 1907

Serial No.

before the Diwan.

17/1/13

69) To DC Coorg Mysore D O No 5141 d 17.1.13 Requests him to expedite the matter as very urgent & expedite the submission of information already called for in this office letter (SR13).

70) Submitted, apld cone TS 69 to the Private Secy to the Diwan 17.1.13 as per order thereon

SRS 17-1-13

955 18/1/13

71) I shall be glad if the General Secretary will kindly discuss unofficially with all the Officers concerned and submit workable proposals for financing the scheme, to enable Govt to sanction the same. A water supply will benefit the temple funds & the pilgrims and reduce the chances of the spread of epidemics. I do not therefore see why the temple should not contribute liber-

NOTE—Contin. sheet.

WATER SUPPLY TO NANJANGUD

In February 1894 a project for supplying water to the town of Nanjangud costing Rs. 27,948 was sanctioned by Government in the Public Works Department, the work was completed and taken charge of by the Municipal Board from the 1st July 1899. A moiety of the cost was met from the State Funds and the remaining half from the Municipal Funds. The Municipal Board obtained a loan from Government to meet their share and the loan has been completely discharged. The supply of water is from a storage tank which is fed by the Hulhalli channel. The Municipal Council spend about Rs. 200 a year on the establishment.

73

2. The water supply becoming insufficient and otherwise unsatisfactory, the Chief Engineer was requested to investigate the question in March 1906. The Assistant Engineer water supply Department suggested the feasibility of using the tank of the

Ml. File No. 495-05
B. March 1907.
Serials 1-7

Ml. File No. 207-07
B.Jan. 1908
Serials 1-2.

(1) Ml. File No. 495-05-1
(2) Vide enc to Pl & Ml 495-05)-2

29

of the Jodi Debur village as a storage tank but as the Jodidar did not (a) agree to his tank being so used, the restoration of the original storage tank which was in a leaky condition became necessary On the recommendation of the Chief Engine an estimate for repairing the tank at a cost of Rs. 6970 was sanctioned (b) in Jan. 1908 and to meet the charge an additional grant of Rs. 6970 was sanctioned (c) to the budget of the Nanjangud Municipality for the year 1907-08.

Vide Chief Engineer's letter No. 6634 dated 24-9-1908 Ml.File No. 495-05-4 6

Govt order no 6460-2 Ml. File No. 267-07-2 dt 9/08

74

3. Before taking up the work, the Executive Engineer Water supply and Stores Division, with a view to ensure a pure and uncontaminated supply of water, recommended the introduction of a pumping system combined with a Jewell pressure filter in lieu of the gravity system with a sand filter . The initial cost of this scheme was estimated at Rs. 14,000 and the annual maintenance charge at Rs. 320 The Municipal Board agreed to this as the restoration of the storage tank became

Vide Dy. Commrs. Letter No. 588 dated 23-3-1908 Current file Sl. No. 3.

no longer necessary and requested for a State aid of Rs. 8000 towards meeting the initial cost Mr. T.Ananda Rao the then First Councillor was in favour of the grant and the project was forwarded to the Central Sanitary Board for favour of opinion, in May 1908.

President's letter and the Chief Engineer's letter. Sls. 3 & 4. (current file)

Para 7, page 4 of the Notes.

4. The Central Sanitary project prepared for supplying water from the Gundlu river and estimated to cost Rs. 24,363 and submitted it in October 1910. The Nanjangud Municipal Council who were asked to find funds did not approve the idea of water supply from the Gundlu river on sentimental grounds and desired to have a water supply project from the Kapini river at any cost. Thereupon the Chief Engineer was requested to investigate the Kapini water supply project.

Vide this office letter d 19.10.10 Sl. 5 Current file

Vide Dy. Commrs. letter d 30.11.10. Sl No. 6 current file.

This office letter, Sl. No.7 d 19.12.10 Current file

5. The Chief Engineer submitted a scheme the initial cost of which is estimated at Rs. 35,653 and the minimum maintenance

Vide his letter, Sl. 8. Current file d 27.1.1912

charge at Rs. 3611 a year and the maximum at Rs. 4400, exclusive of charges on account of establishment and tools and plant. He recommended that the Kapila project may be sanctioned as the supply from the Kapila river is far superior in point of purity, abundance and sanctity to that of Gundlu stream and stated that before the work is put in hand the site for the pure water reservoir would be reinvestigated. Before sending this project for the opinion of the Central Sanitary Board, the Deputy Commissioner of the Mysore District was requested (a) to consider the question of cost

This office letter d 21 2. 1912 } Sl. 9. (Current file)

Dy. Commrs. letter d 29 4 12 } Sl. 10.

The Municipal Council suggested (b) that the initial cost should be debited to the Municipal and Muzarai funds equally and the recurring charge in the proportion of 2/3rds and 1/3rd. As the Muzarai Branch pleaded (c) paucity of funds, the Municipal Council who were again consulted (d) in the matter have agreed (e) to bear the entire charge themselves and requested for the grant from the State Funds of a loan of half

Para 45 to 48 of the Notes.

This office letter d 28 May 1912 } Sl. 11

Dy. Commrs. letter d 18. 9 12 } Sl. 12.

5.

the initial cost repayable by annual inst- instalments of Rs. 1000. As regards the source for meeting the maintenance charge the Municipal Council stated that they would propose levy of water tax and re-vision of house tax and expected an in-come of Rs. 5000. The Municipal Council have been requested (a) to state the data on which the above estimate of anticipated increase in the receipts has been arrived at. A reply is still due. A reminder has been issued on 17th January 1913.

(a) This office letter dt 18 11 12 } Sl.13.

6. The papers were submitted to the Dewan who directed that the matter may be expedited. He has been pleased to order (b) that workable proposals for financing the scheme should be submitted to him and the matter settled within a fortnight.

(b) Page 24, paras 71 & 72 of the notes. order dt 22. Jan 1913

TNSG 29/50 1/13

7 with reference to Dewans remarks as to why the Nanjangud temple

should not contribute liberally towards the initial & working Expenses attention is invited to para 46 of the Office Notes in which the Mysore Branch has noted that when the revision of the Scale of Expenditure on the temple is given effect to, a small margin of Rs 500 would be left for repairs &c of the temple

by Secy)

7/4/13

79

8) Assuming that the revised cost of the scheme finally proposed by the Chief Engineer and accepted by the Municipal Council Rs 35653 and that the annual maintenance charge is Rs 1400, the maximum figure given by the Chief Engineer, we have the following alternatives to choose regarding the finances

8a) The first alternative of the Municipality itself bearing the future charges is almost settled. The Municipal Council has agreed to do so and sought for the help of the Government in two ways viz :-

(i) Loan of Rs 17827, being half the cost of the revised outlay

(ii) Approval of the plan of carrying water-tax and raising house tax and the in the long run, so as to increase the Municipal revenue by about Rs 6000 in order to meet the annual maintenance charge of Rs 1400 and to repay the Govt. loan at Rs 1000 per year

8b) The finances of the Municipality are fortunately in a very sound condition, as there seems to

Opening balance on 1/7/12	Rs	34, 999
Estimated receipts for 12-13	Rs	14, 441.
Total	Rs	49, 440
Estimated expenditure		13, 157
Estimated closing balance	=	Rs 36, 283

That is, the Municipality has about Rs 33000 which it can immediately spend, allowing Rs 3610 for the reserve which is 1/4th of the Estimated receipts

Thus, it does not need such a large loan as Rs 17827 But if it is needed there can be no objection to sanctioning it at 4% interest per year.

In any case, any loan Scheme grants is not required and is not even asked.

The alternative has the merits of simplicity, unity of control, quicker execution and perfect consistency with the principle of local self-government:—

81 10) The Second plan is to persuade the Narayanpet Municipal Authorities to

finally bear the burden of the cost as well as the maintenance charges. The expenses happening from course are entrusted in the Dharma Nidhi, dated 22/5/13 and they render it above reputable and reasonable.

92 b) There are however, other problems to be considered in this connection, two of which seem to me to pose unfortunate that of all, the temple finances do not appear to warrant additional burdens, as may be seen from the figures just now furnished by the Mysore Branch. (Vide annexed Banking Nidhi Form). The gross income is Rs 23,680-13-8 while the total expenditure is Rs 23,546-13-8 according to the revised scale now to have been just sanctioned by the Durbar, leaving a small net income of Rs 134 per year. Extensive repairs seem to be in view, a few of them being urgent and the net income has to meet the cost of repairs annually.

93 12) The temple has (1) Rs 6790-2-0 1/7/12 (2) Rs 5474-13-11 in Govt of India Paper; & (3) Rs 7000 in Mysore Govt. 4 p.c, making a total of Rs 19542-13-11. A withdrawal from any of his two Paper reduces the yearly income to the extent of

the interest due on the amount borrowed. while the cash on hand is said to be necessary to defray the cost of the urgent repairs needed for Vasantha Mantap — about Rs 2500 An estimate costing Rs 9000 for the repair of Vasantha Mantap is said to be held over for want of funds

(5) The above circumstances to be borne in mind in the probable claim that the Taluk authorities may urge for having a voice in the control of the water supply, if their contribution is accepted. If such a claim is performed it will not be easy to resist it and to avoid a mixed body of control.

(6) In the event of the Municipality finally framing the scheme, the Taluk will probably have to pay for its supply of water to the Municipality. But the inequity involves in the Municipality having to supply [illegible] water to unreasonably large number of polypoints that will benefit the Taluk alone will stand. A lump sum contract contribution by the Taluk to the Municipality for this purpose calculated on the basis of the number of polypoints ascertainable & the probable average consumption of water will remove much of the inequity and

at the same time lead to the avoidance of administrative difficulties of a local character

D M Narasimha Rao
31/1/13

Seen)

87 15) Before the Scheme can be dealt with finally two things have to be awaited viz —

(1) Reference to the Central Sanitary Board, if need be

(2) Reply from the Nanjangud Municipality about the provision for the conclusion that Rs 5000 can be raised yearly by revision of taxes & by water-tax

Drawn up by
31/1/13
Hy
Mills

Seen)

88 16) For the reasons which are clearly set forth in the above note I think it is hardly possible now entirely to ~~[illegible]~~ relieve any person who can claim to be the temple founder. If the Municipal views is accepted, the only alternative left is for the municipality to bear the whole cost of the Scheme or ~~[illegible]~~ the

[Two cont. pgs.]

R. S. 12]
General and Revenue Secretariat

File No. of 19

Serial No.

Mugrai Branch Note

The income & expenditure of the Sri Sri Ranganatha Swamy temple at Nanjangud are shown in the following table. They are as recently ascertained orders are to be issued

	Income		Expenditure.	
1	Cash Tax Bill	29127-11-8	1. Establishment	8910-12-0
2	Income from Kanike fees	500-0-0	2 Puthyakatte	10716-0-0
3	Income from Temple lands & Sthalavrikshas Kandayas	119-1-8	3. Kotekaranike	3496-0-0
			4. Kandayam.	415-1-8
4	Gold Tax	500		
5	Mundi and Kanikeyam	500-0-0		
6	Interest on Loans & Pensions	430-5-6		
7	Coconut Tax	50-0-0		
8	Chickanayanda Gowda	60-0-0		
9	Sheep Cent	30-0-0		
10	Arecha Palace Fees Stamps & Sthalavrikshas	14-11-8		
	Total	23,680-13-8		23540-13-8

Savings for year for Expenses &c — 140 Rs.

GPB—50,000—12-8-19

Serial No.

9) The amounts at the credit of the temple was Rs 19,542-8-8 at the beginning of July 1912 and is made up of the following items -

Amt invested on Deposit @ 2% promote. } 7000-0-0

Amt invested in Govt of India promote -3½% } 5,743-13-11

Cash on hand - 6,798-10-9

Total 19,542-8-8.

9) Extensive repairs to the building are now under contemplation including the amounts that have to be paid this year from temple funds out of those several heads, viz:-

1 Several items to be paid this year -

(a) Bhandaram Addl Pratishta } 230-0-0
(b) White washing - 323-0-0
(c) Painting Rs lights - 395-0-0
948-0-0

2 To be considered this year -

(a) Vasanta mandap - 250-0-0
(Estimate Engineer)
(b) Navanabi mandap - 9000-0-0
(Estimate not received)

G.P.—20,00—12-6-10

annual recurring charges unless he for a period of the help of the municipality by sanctioning any special grant in the form

28
1/2/13

The papers were circulated to both the Councillors as ordered by the Secretary & their views regarding the method of financing the schemes are noted below as desired —

1st Councillor

(1) Half of the Capital outlay may be lent to the Municipality, the other half being met out of Municipal funds which are in a sound condition

(2) The Temple is not in a position to bear any burden but a 'pilgrim tax' may be levied, as in Northern India by the Municipal for meeting these as well as other charges The Consent of Government may be consulted in the matter

1st Councillor

(1) The temple has Rs 23,000 no though it would be undesirable to exhaust these surplus, the margin of

saving being only Rs500 per year, Rs10,000 may be granted from the surplus for the water works.

(2) The loan asked for by the Municipality may be given now without interest.

(3) But a "pilgrim" or poll tax is undesirable as it is opposed to national sentiment.

(4) Instead the additional trade due to pilgrimages may be taxed by the Municipal Council for raising revenue towards the charges of maintenance.

(5) With the view of keeping down such charges, the project for water supply should be so recast as to do away with the necessity for pumping and gravel filter supply from gravitation without the costly gravel filter should suffice. In the case of comparatively a small place like Navjangud.

Q 3

18. Subsequent to my letter of 31/1/13, a cheque was received from the Deputy Commr. proposing that Rs10,000 might be given out of Charitable funds. It has been seen by the 1st Commissioner that by the second Report, the proceedings of the Pharmacentic may have to be verified in the Mungeri Branch

Secy)

D.M. Narasimhaiah
22/2/13

Serial No	
	towards the initial cost and working expenses of the scheme
12	Improvement of Sanitation of Nanjangud and larger influx of people increase of temple revenue
	What is stated in the letter is settled with the Executive
	RC 22.1.13
5	I shall be obliged if the Dep't Secy will kindly put up a fair note on the file as I shall have to refer to it hereafter
	23/1
6	The Note required by the Secretary to put up My views appear after the Office Note and the Assistant Secretary's D. M Narasimhalu Chetty 31/1/13
7	The note may be submitted to Commissioner for his personal orders
	7/2/13
8	Now comes up for decision the need necessity & urgency for a water-supply to the town of Nanjangud which appears from the

Let me have a fair clear Note of the expenditure & Notes up to 1/1/13 — Put each item separately

28/1

NOTE—Contin. sheet.

[illegible] of Cholera, with a [illegible] of [illegible] water-borne diseases resulting from a drinking contaminated source of drinking water. Suffering the town of Rajpipla (as now) an unfortunate victim of the havoc played by Plague year after year. It is time to become a victim of unfortunate circumstance when the Rajpipla Water scheme is [illegible] becomes an accomplished fact. No doubt the financial condition of the Municipality compares favourably with that of many more fortunate municipalities. But this fact should not be the cause for inertia. Inertia after all is only the certain cost of the proposed scheme and if the town do undertake its execution half the scheme will be done and the town will be benefited. Therefore, to get a loan of the Capital outlay is only from which the other half being met out of [illegible] funds.

79) It is seen that the water [illegible]

General No.

not in a position to comment on the proposals with regard to the annual maintenance. As at present advised, I do not see why a Pilgrim tax should not be levied by the Local Council & I think they would be responsible for such a tax. Such a tax is being levied in a number places of pilgrimage in the Bombay Presidency. The amount thus realised being expended on the improvement of the sanitation, water-supply, conservancy etc. of the place. This idea may be discussed by the Local-Council & their opinion together with their definite proposals for working the scheme be called for.

(50) 2) It is stated that the expenses for the Bi-annual Mela which the collection of the Local-cess is to meet are very heavy, but the net-profit-income out of the same does also is a very large one, and it does appear to be very desirable that the necessary repairs should be carried out.

4/2/13

GPS—50,000—15-8-12

1874

No. 12]
Land Revenue Secretariat.

Inst File No. 269 of 1907

Serial No.

81
1st Consultation) As the Secretary's notes (Home 7)

92. The Temple is said to have at its credit a sum of about 23,000 Rs It is found that we have often to sanction extra expenditure for Swabhuta feeding & that this surplus has to be drawn on for the purpose. It would be unwise to spend the whole sum away. The margin of Savings annually is only 500 Rs. But I think we may fairly give 10000 Rs of ~~this Surplus~~ the Surplus for the water works

93 The loan asked for by the Municipality may well be advanced. ~~The actual~~ If the Municipality cannot bear the charge of interest, I think we may well forego the interest & get liquidated the principal debt by annual instalments.

94 As for the maintenance charges, I am quite opposed to anything in the nature of a

GPD—30,000—12-5-16

Serial No.

poll tax — which would be the character of a pilgrim tax. The Sentiment is that there should be no restriction of any sort to persons wishing to go to places of religious worship. But some revenue may be raised from taxing the additional trade that is brought to the place by means of jatras &c. the Municipal Bd may be asked to take steps to improve their revenue in that manner

85 A water tax is of course a fair levy I think however that the supply should be better distributed than in the present unsatisfactory System

66 Grain tax is out of the question, cess & Ct are somewhat increasing

C. R. S. 12]

General and Revenue Secretariat. | Pol File No. 267 of 1917

Serial No.

that it shd have been thought of at all in this connection, as the local people have a very poor opinion about it compared with the Periyar river

Pol 87 It seems to me that for such small places it is much better to provide a scheme of water supply by gravitation without resort to pumping if possible. The filtering by the Jewel filter may be much more perfect, but small places cannot afford this luxury. Even now the matter seems worth considering, as the maintenance charges for such small towns shd be

Journ. check.

48

R. S 12]

General and Revenue Secretariat.

Govt File No. 267 of 1917

Serial No.

Report as low as possible

18/2/13

87 88 The Dept. Secy. with Kindly complete the note Embody therein briefly his views the Considerations which led to the Decision for submission to Govt Decision

87 88

89 I have done the needful as desired Sd/-

Stay)

Notes—Comts. check.

R. S. 12]

414

General and Revenue Secretariat.

Sub File No. 267 of 1912

Serial No 14

9. From the Deputy Comm^r. Mysore Dl^r. No. 412 d 31 Jan^y 1913 (D No. 4532) Agreeing with the views of the Sub Div^l officer, Nanjangud recommends that a sum of Rs 10,000 be sanctioned from the temple funds towards the water cost & that a sum of Rs 1388, be made available annually from the same funds, towards the maintenance charges.

10. The Sub Council have received from their original resolution to bear the entire charges of the water supply both initial and recurring from their own funds. They represent that if they should borrow money from Govt, they will have to raise the taxes very much, to find funds for repaying the loan. Could have resolved that half of the initial cost & a third of the recurring charges on account of

NOTE—Contin ued.

GPD—6^M,000—7-4-12.

R. S 12]

General and Revenue Secretariat.

2nd File No. 267 of 1917

Serial No.

maintenance be met from the temple funds. The Dharmakarans of the temple & the Tamil people are agreeable to a portion of the cost being contributed from those funds. It is also stated that a sum of Rs 23,385/- was available to the credit of the Sankaneswara temple on the 1st July 1912

110
12 The Subdt. officer & President of the 2nd Council recommends that a sum of Rs 25000/- which will be available in addition to the minimum closing balance may be utilised towards the initial cost & the estimated increase of Rs 3000 in the 2nd revenue, towards the maintenance charges and requests that the remaining amount may be ordered to be met from the temple funds.

In the formulated proposals
TLJ 69 12 The initial cost is estimated
6/2/1913 at Rs 35,153 & the maximum maintenance charge Rs 4407

S 15
6.2.13

1917—Clerks check.

GPE—04,000—17-6-12.

5307

R. S 12]

General and Revenue Secretariat

File No. 267 of 19

Serial No 15

12th from the Dy. Commr. Mysore D.O. No. 509 d 8th March 1913 (& 5307) Reports that the annual "ghat" collection in the Nanjangud taluk aggregates Rs 1330 against Rs 60, as already reported

It was proposed to meet a portion of the maintenance charge also from the temple funds. The Sowcar pointed out a more remunerative mean as first reported

The file relating to the water supplies of Nanjangud is pending orders of Govt. [submitted to the Dewan on the 25th Feby 1913 vide D No 4532]

Submitted

D.S 69
14/3/13

I/we may await the receipt of the other file

12/3/13

12

NOTE—Contin. sheet.

GPB—61,000—17-6-12.

S 12]

General and Revenue Secretariat

Annual File No. 267 of 1913

Serial No.	
102	The draft as proposed seems to me right & may be issued. It is noted that the working of the maintenance charges remains yet to be solved. It is true that whether the whole of these charges can be borne by the temples as proposed will be ascertained
	12/4/13 Lees
103	1st Counsellor
	13/4
104	The draft seems all right except perhaps the last para. The enquiry may however be made, though I do not personally see how the temple can bear any part of the maintenance charges.
	14/4/13
	17/4
105	17/4 Dewan
	17/4

25461/17/4/13

NOTE—Comin check.

Submitted to Her Highness

125 The question of providing a good water supply to the Nanjangud town has for some years past been under the consideration of Government.

126 2. The Chief Engineer submitted in January 1912 a scheme involving an initial outlay of Rs.35,653 for supplying water from the Kapini river, as this source was fo superior in point of purity and abundance to that of the Gundlu river, a scheme for supplying water from which was also under consideration at the time.

127 3. The question of financing the scheme has been under discussion till now, and a decision has been arrived at in personal consultation with the Deputy Commissioner, Mr. Chandy, to the effect that a sum of Rs.10,000 from the balance at credit of the Sri Nanjundeswaraswami temple which largely benefits by the water supply, and Rs.25,000 from the reserve at the credit of the Nanjangud Municipality may be set apart for capital expenditure of the project.

128 4. Regarding the maintenance charges, which range between Rs.3,600 and Rs.4,400, the Deputy Commissioner has promised to further consider the question and send u proposals regarding the sources from which the same coul be met.

129 5. I now submit for approval the draft of an orde approving of the project and forwarding the estimates to the Chief Engineer for scrutiny and requesting the Deput Commissioner to submit his further report as regards maintenance charges.

130 6. Both the Councillors agree to the arrangemen

regarding capital expenditure. They however entertain doubts as to whether the temple can be rightly made to bear any part of the maintenance charges. This matter will be duly considered on receipt of the Deputy Commissioner's proposals now asked for, and pending a definite assurance regarding the maintenance, the work will not be put in hand.

A. Montgomery,

4532
5336

This file has to be submitted to the Councillors also for perusal of His Highness' orders.

ses submitted for the Orders
Highness the Maharaja

2 5 1913

131 Submit after issue Subject.

ised scheme for providing
own with a good supply of

TS 6/9

4/5/13 Secretary to the Council
vide his minute
on the foregoing sheet

Submitted for your perusal

8.5.13

Order.

~~KRW~~
28/4/13

135 Secretary

This may issue & may
kindly be asked for

29.4.13

B IV

2/5

136 Issue Khdraft applied for

8/5/13

4/5/13

R. S. 12]

General and Revenue Secretariat

Ind File No. 267 of 1917

Serial No. 16

To the Dy Comr Mysore
" Comptroller
" Chief Engineer
" Comptr P.W.D. & Ry Br
" Sand Comr
" Mysore Supdt.

Sanctions the scheme
for supply of water to the
Nanjangud town from the
Kapini river, a sum of Rs 10000
allotted out of the funds
temple of Sri Nanjun dis
swamy towards the cost & the
balance of the cost viz Rs 2000
being met from the resources
at the credit of the Nanjangud
and Council & detailed
orders will be issued to the
Chief Engineer to put the work
on hand, as soon as definite assurance is re-
ceived regarding the ...
tenance charges.

13

13

-Contin. sheet.

GITS—10,000—17-6-15.

1907-08

From Mr Manthorp Ex. Engr 15th Dist Thatta Pres. dent Supply Select

To C S Balaram Esq Supdg Engr & Secretary to Govt Genl & Rev Depts

Dated 28th } March 1908
Despatched
Received

General No. 586
No

Enclosure No. Two.

Submits a report regarding the improvements proposed in Supply Bdr to be carried out

Mysore Municipal Office

Mysore, Dated 21th March 1908

From

D Jaik

M. Kanthraj Urs, Esq. B.A.
Municipal President
Mysore District

Ml 267-07

To

C.S. Balasundaram Iyer Esq. B.A.
Offg Secretary to Govt
Genl and Rev Depts

Sir,

I have the honour to submit herewith the Copies of the marginally noted Correspondence relating to the improvement water supply to the Nanjangode Town, and to state as follows —

At present, the water supply to the Nanjangode Town is from a Storage tank which is fed by the Hullahalli Channel the supply being quite insufficient and otherwise unsatisfactory, especially during Summer, the Government were pleased to Sanction in their order No. 6440-2 / Ml 267-07-2 of the 8th January 1908 the re location of an abandoned Storage tank

The Executive Engineer of the water Supply and Stores Division Considers that though the present supply is fair enough the Sand filters will not give a pure and uncontaminated supply of water From the experience gained of the Jewell Pressure filter elsewhere he proposes to substitute a pumping water Scheme for the present gravity Scheme The initial Cost of the former is estimated at Rs 140000/, with an annual sum of Rs 3200/ for its maintenance If this project be Sanctioned the restoration of the abandoned Storage tanks, for which an estimate for Rs 5907, has been Sanctioned, is not necessary the additional Sum required for the Jewell filter Scheme is only Rs 8098 The Municipal Board prays that this Sum may be granted as a gift from the Provincial Funds

3 With regard to the annual maintenance

Cont

Mysore Central Municipal Limited Office

Court, I beg to state that though the Municipal Board is willing to set apart this to be income for the purpose, yet I am of opinion that the Board cannot do it without seriously neglecting it's Sanitary improvements, road repairs &c.

I would therefore propose for the kind Consideration of Government that an annual Contribution, say Rs 2000/- may be fixed as is done in the case of Bangalore and Mysore Cities —

I have the honour to be,
Sir,
Your most obedient Servant,

M Venkatarangaiya
for Municipal Board President
Mysore District

Docket No. 116. 4

Office of the Executive Engineer
Water Supply and Sewerage Div
Dated Bangalore, 24th Feb 08

To

The Chief Engineer of Mysore
Bangalore

This office No. 108 dated 22/2/08 submitting three tenders for repairing the Storage tank at Ramanagaram —

In continuation of the above, has the honour to report as follows: —

It is a regrettable fact that the town of Ramanagaram is regularly visited by the epidemic of Cholera in spite of its present water-supply system. Though this supply is fair enough so far as it goes it is to be admitted that the sand filters are not and will not be efficient as a constant as they ought to be to give a pure and uncontaminated supply of water —

15

from the experience gained of the Jewell Reservoir filter proposed for the Harbour water supply and which is now being experimented on at Sankey Tank and the satisfactory results already obtained from it it may very well be argued whether it is worthwhile substituting a pumping water scheme for the present gravity scheme and the Jewell Reservoir filter instead of the present sand filters. Such a scheme would not only ensure an absolutely pure and wholesome supply of water but would at the same time remove the existing defect of a precarious supply during summer & avoid when the restoration of an abandoned storage tank has been ordered & done

The distance from the river at which the pumping plant can be situated & the head of pure water tank is about 2000 yds over a rising main will suit the needs of the town

The cost of the scheme may be

Roughly put down as follows

Pumping Plant including Engine houses Rs ---/-

Rising main 4" diameter about 3000/-

Jewell Reserve Tank about
Same size as that proposed for Kanihar 6000/-

Total 14000/-

The Distribution System will remain the same as it is As against the present estimated Cost of the Restoration of the Storage tanks is Rs 6000/- So that with an additional amount of Rs 8000/- the proposed work of the pumping scheme could be worked out -

in 1912 only 3000 Rs

The Cost of annual maintenance of the pumping scheme will be about Rs 320/-, and if the Municipality Can only find funds for the annual maintenance, and if the Chief Engineer Considers the pumping Scheme preferable to the existing gravity Scheme

then

Improve Water, Municipal Accounts Office

the Storage tank can very well be abandoned
the funds granted for its restoration can
be kept in deposit and used up when
this Pumping Scheme is sanctioned by
Government

The undersigned has put himself
in Communication with the Deputy
Commissioner of Improvements, requesting
him to forward an annual maintenance
and his reply will be Communicated
to the Chief Engineer on receipt

Sd/ V. Ranganathaiah
Ex. Engr
Water Supply & Sewerage Div
Bangalore

No 503, Dated Bangalore 24/21 Feb: 28
Has the honour to forward Copy of the above
to the Dy Commissioner of Improvements, with a
request that he may kindly inform the
undersigned as early as possible, whether the
annual expenses of the Pumping water supply
Scheme for Ramjanpettah can be met out
of Municipal funds

Sd/ V Ranganathaiah
Ex Engr
Water Supply and Sewerage Div

Precedent order No 3097 dated
[illegible] 08 forwarding for Board's
[illegible] on Copy of letter of the
[illegible] Executive Engineer water-
[illegible] Lifting and Storage Devices,
[illegible] forwarding a Scheme for —
[illegible] lifting water to the —
[illegible] Jaipur Town

As the Executive Engineer
states that the present
pumping scheme ensures —
adequate, pure and wholesome
supply of water throughout
the year and as such the
existing defect of no water
supply during Summer the Board
is willing to bear
pumping expenses of the extra

that the Storage tank can very well be abandoned
the funds granted for its restoration can
be kept in deposit and used up when
this Pumping Scheme is sanctioned by
Government

The undersigned has put himself
in Communication with the Deputy
Commissioner of Mysore, requesting
him to for an annual maintenance
and he reply will be Communicated
to the Chief Engineer on receipt

Sd/ V. Ranganathaiah
Ex. Engr.
Water Supply Works Dn
Bangalore

No 503 Dated Bangalore 24th Feb: 08
Has the honour to forward Copy of the above
for the Deputy Commissioner of Mysore, with a
request that he may kindly inform this
office as early as possible, whether the
annual expenses of the Rampura Water Supply
Scheme for Ramjanpettah can be met out
of Municipal funds

Sd/ V Ranganathaiah
Ex. Engr.
Water Supply and Sewerage Dn

Resolution No 3097 dated 1 2 08 forwarding for Board's information Copy of letter of the Executive Engineer Water Supply and Stores Division, forwarding a Scheme for supplying water to the Municipal Town —

the Executive Engineer Water Supply and Stores Division, forwarding a Scheme for supplying water to the Municipal Town —

As the Executive Engineer points out the proposed pumping scheme ensures an adequate supply of water throughout the year and as such this is existing defect of scarcity of water supply during summer the Board is willing to bear the pumping expenses & the extra

for Rs 3200/- out of toll Receipts

The total cost of the Scheme is stated to be Rs 14000/-

The Board has already agreed to contribute Rs 6000/- for the restoration of the Storage tank of this Scheme has been proposed to be given up, the Board has no objection to utilize the Rs 6000/- for the new Scheme But they regret that their poor financial condition does not admit of their contributing Rs 8000/- required for the new Scheme.

They respectfully request that Government may be pleased to help them by making a grant from Provincial funds

Sd/ S Thomas

Copy,

Thomas Cameron

for D/ Commerce

No. 3077 /E-me

Mysore, Public Works Department.
Central Office,
Dated Bangalore, 6th May 1909.

From,

W. Mc Hutchin Esquire, M.I.C.E.,
Chief Engineer of Mysore,
B A N G A L O R E.

C. S. Balasundaram Iyer Esquire, B.A.,
Secretary to the Government of
His Highness the Maharaja of Mys
General and Revenue Depar
B A N G A L O R E

Adverting to Government Proceedings No. 6440-Ml. 267-07-2 of 8th January last, sanctioning an estimate of Rs. 6,970/- for repairing the water supply storage tan of the Nanjungud town etc, I have the honor to inform you that the Executive Engineer, Water Supply and Stores Divi sion, who was directed to proceed with the work proposed subsequently an alternative scheme of installing steam plant with jewel filters at a cost of Rs. 14,000/- for the Nanjangud water supply in order to ensure not only a pure and wholesome supply but also continuity of supply and observed that if the pumping scheme were preferred the storage tank could be abandoned provided the Municipality consented to bear the cost of its annual maintenance viz, Rs. 3,200/-vide copy of his No. 116 of 24th February last. The Board have since signified their willingness to pay the annual cost and the Deputy Commissioner has reported that Government have been addressed by him to sanction a grant from provincial funds towards the cost of the project

2. The Executive Engineer, Water Supply and [illegible] has been directed to submit as soon as

the project for the steam plant proposed, and on its receipt it will be forwarded to Government for sanction. But as it will take some time to sanction the project, I request that the amount sanctioned in the Proceedings referred to above for repairing the storage tank may be resumed and a sum of Rs. 14,000/- made available for the work in the next official year's budget.

I have the honor to be,

Sir,

Your most obedient servant,

M. Singamma

hief Engineer of Mysore.

Docket no 116 D) 24th February 1908.—
The Executive Engineer Water Supply & Sewerage
Division to the Chief Engineer & Secretary

The office no 108 dated 22nd [illegible]
submitting tenders for repairing the 2
storage tank at Nayanpad

In continuation of the above, I have
the honor to report as follows.—

It is a regrettable fact that the town
of Nayanpad is regularly visited at
by the epidemic of cholera in spite of
the present water supply system. Now
this supply is pure enough so far as it
goes it is to be remarked that the sand
filters are not and will not be in
efficient a condition as they ought
be to give a pure and uncontaminated
supply of water

From the experience gained of the
small pressure filter proposed for the
Cantonment water supply and which
is now being experimented on at
Kandiri tank and the data collected
there is already obtained, from it
it may safely be concluded that the
plan is worthy of adoption.

Awaiting orders I have

[illegible] scheme and the [illegible] well from [illegible] instead of the present [illegible] others. Such a scheme would not only secure an absolutely pure and wholesome supply of water, but would at the same time remove the existing defect of a precarious supply during Summer & avoid which the restoration of an abandoned storage tank has been ordered to be done.

The distance from the river at which the pumping plant can be installed, to the present pure water area, is about 2,000 feet and a 4" rising main will suit the needs of the town.

The cost of the scheme may be roughly put down as follows –

Pumping plant including Engine House & Rising main 4" Diameter about. .	6,000
Small pressure filter about the same time as last proposed for chamber	3,000
	6,000
Total	14,000

The Distribution System will remain the same as it is. As against this amount the estimated cost of the restoration of the storage tank is £1000/-, to this will be additional amount of £3,000/- the pumping scheme could be worked

The cost of annual maintenance of the pumping scheme will be about Rs 3,000/-, and if the municipality can only find funds for the annual maintenance of the Chief Engineer considers the pumping scheme preferable to the existing gravity scheme, then the storage tank can very well be abandoned. The funds thereby saved on its restoration can be kept in hand and used up when the pumping scheme is sanctioned by Govt.

The undersigned has put him in communication with the Commissioner of Madras, regarding the for annual maintenance and he will be communicated to the Chief Engineer on receipt

True Copy

for Chief Engineer

G.R.S 29A]

From

Secy to the Govt. of His Highness
The Maharaja of Mysore,
Genl. and Rev Dept.

To The Secretary,
Mysore Dist.

Dated

Despatched 27.10.10.

Received

General No 3518

No ml267-07-3

Enclosures No 3 Plan Reference

Correspondence ending with the Deputy Comrs letter No 588 dt the 23rd March 1910 about regarding the improvement of the water supply to Jaraguda town

---

Reference to the above has the honour to forward herewith the revised plan & abstract of estimate for the

HPB—10,'09 1-1

15

San. Board amounting to Rs 24,363/- together with the Exe Engineer's letter accompanying it is to request that the Municipal Board of Kanjeevaram may be consulted as to what portion of the initial Cost of Rs 24,363/- they are willing to bear and whether they are prepared to pay the full annual maintenance charges as already agreed and their resolution submitted

2 The enclosures kindly be returned with reply

"By order"

Yrs

Jor Secy

9/7/46.

16

190

From

M.Kantaraj Urs Esq, B.A
Dy Commissioner,
Mysore District.

To

C.S.Balasundrum Iyer Esq, B.A
Offg. Secy to the Govt. of H H the Maharaja of Mysore, Gen & Rev Depts

Dated 30th. November 1910

Despatched 2-12

Received

General No 324
No

Enclosure No

Subject

Submitting an extract from the proceedings of the Nanjangud Municipal Council resolving that a supply of water may be given them from the Kapila River.

No 324
Enc No

OFFICE OF THE Dy. Commissioner
MYSORE DISTRICT,

Dated Camp 8th. November 1910

To

G.S.Balasundrum Iyar Esq, B.A
Offg. SECRETARY TO THE GOVERNMENT
OF HIS HIGHNESS THE MAHARAJA OF MYSORE,
GENERAL AND REVENUE DEPARTMENTS

Sir,

With reference to your docket No. 8518-M.L.267-07-5 of the 27th. October 1910, re. the project for the improvement of the Water-Supply of the Nanjangud Town, I have the honor to submit herewith an extract from the proceedings of the Nanjangud Municipal Council dated the 10th. November 1910, resolving that they are not in favor of a Water-Supply to the Town from the Gundal River as now proposed, that a supply of water may be given them from the Kapini River even at a higher cost, and that, in this case, they would contribute even to the extent of Rs.10,000 towards the initial cost. The file of papers on the subject received with your docket No. under reference resubmitted.

I have the honor to be

Sir

Your Most Obedient Servant

Deputy Commissioner

Proceedings of a special meeting of the Municipal Council held on 10-11-10 in the Taluk Office.

Present

1. President
2. Vice-President
3. Medical Officer
4. Sub-Registrar
5. Mr. Guru Rao
6. " Venkatasami Iyer
7. " B.Subba Rao
8. " Nanjandaradhya
9. "Bandiah
10. " E.Rama Rao

Absent

1. Mr. Chengalraya Mudliar
2. " Nayak Narasimha Char
3. " Chick Puttasami Chetty
4. " Ahmed Saheb
5. The Assistant Engineer, No. 2, Sub-Division.

Read correspondence ending with Dy. Commissioner's Order No. 1411 dated 2-11-10 forwarding a project for improving the water-supply of Nanjangud Town.

The correspondence was read and discussed by the Members present. The taking of water from Gundal River for drinking purposes whatever may be the purity thereof after filtration, the Members opine that the town people will not agree to use the water. In view of the promise that the town gives of developing as soon as the extension of Railway Line is constructed and the pratice of people utilising the Kapini water for drinking purposes from time immemorial, the Members unanimously propose that Kapini water alone should be supplied even if the costs go up to Rs.30,000/-. On sentimental grounds too, Nanjangud Town-people could be tempted to use the

19

undal water which does not flow during the hot weather
er over the bed of the River is fouled by the villagers
lining the bank and the water thus contaminated becomes
mpure and such water is considered by the townspeople
s unwholesome. The Board would be willing to contribute
ven to the extent of Rs. 10,000/- as the matter of water
pply is of paramount importance and the same had been
reviously brought to the notice as so long ago as 10th.
arch 1908 and referred to in the un-official note No.
2 dated 18-3-1908 and several times previous to it
s the scheme is expected to be the final one to redress
ne long felt grievances of the townspeople of Nanjangud
the Members have ventured to place the above facts for
favorable consideration of Government.

6-11-1910

Sd/ T.K.Sundraraj Iyengar
President

Copy

For Deputy Commissioner
Mysore District

Sess 119/10

20

G R S 26]

File No 21

Serial No 6/

Diary No of letter replied to 3644 D

No 6-3744

m 26.

General and Revenue Secretariat

(Mk.)

D, the 12 12 1910.

To

The Chief Engineer of Dagan

Date of issue 19 12 10

Signed by [illegible]

Sir,

In the matter of the improvement of the Nilwa - Jangade town water supply I am directed to forward herewith the memorandum noted below and to request that you will be so good as to report the probable initial and recurring charges of the project from the supply point of view.

By of letter No 324 D 30 11 10 from the Dy Com.r Dagan to Jangade Town. Encl. Memo. from S. Rep. D 10 11 10 requesting for a project amounting Rs 24,363/- & Engineer's report thereon Rec.d in the C.S.B.D. D 3.12.10

book of Plans. 45 (Returned 14/2/11)

SUBJECT

119-10
3117
4123
22

1912

MYSORE P W DEPARTMENT

No 505

From

THE CHIEF ENGINEER OF MYSORE,
Bangalore.

To

The Secretary to Government
Genl & Rev Depts
Bangalore

Dated Bangalore, 27 January 1912

Despatched 29

Enclosure No 5

SUBJECT

Submitting a project for pumping water from the river Kapila to the town of Nanjangud

No 805/1&8

MYSORE P W DEPARTMENT,
CENTRAL OFFICE
Bangalore, 27th January 1912

Dy. No. 4123



From

M VISVESVARAYA, Esq, M.Inst.C.E., C.I.E.,
Chief Engineer of Mysore,
Bangalore.

T

,Balasundaram Iyer,Esq., B.A.,
@ffg: Secretary to the Government
of His Highness the Maharaja of Mysore,
General and Revenue Departments
Bangalor

Sir,

In compliance with G.R.S. No.5374/M1.267-07-7 dated the December 1910, I have the honour to forward herewith estimates report, prepared by the Executive Engineer, Water Supply and St Division), of capital cost and maintenance charges amounting, re ly, to Rs 35,653 and Rs 3,611 for pumping water from the river K to the town of Nanjangud.

2. Although the initial cost of this project is apparently Rs 11,290 more than that of the Gundlu project originally submi it is not really so, for a number of additional items costing R are now included in the former project (vide comparative abstra enclosed). Even if the Gundlu project is approved, these new wo will have to be undertaken. The real difference between the tw projects is, therefore, only Rs 5,924.

3. As regards maintenance charges, in the case of the Kapi project they may amount to about Rs 3,611 in the beginning and Rs 4,400 ultimately when the population increases to 10,000. corresponding figures for the Gundlu project are Rs 2,500 and The figures in the latter case are somewhat underestimated by

Executive Engineer. They may probably go up to about Rs 3,000 at the beginning and about Rs 3,500 eventually

4. The Kapila project will, therefore, be somewhat more costly than the Gundlu project both in the first cost and maintenance. But considering that the supply from the Kapila is far superior in point of purity, abundance and reputed sanctity to that of the Gundlu stream, the small extra expenditure involved is perhaps well worth incurring if the necessary funds are forthcoming.

5. Before the work is put in hand, the site for the pure water reservoir will be reinvestigated and a few other details of design re-examined. For purposes of sanction, the figures and proposals of the estimate may be accepted.

6. The enclosures (3), (4) and (5) received with your letter under reply are herewith returned.

I have the honour to be,

Sir,

Your most obedient servant,

For Chief Engineer of Mysore.

-6]

File No. 267-09

Serial No 9

y No of letter replied to 4123

No 5796

ral and Revenue Secretariat

(Municipal)

To

The Deputy Commr, Bijapore Dt

, the 19

of issue 2-1-12

ed by Mr Kini Q

Sir,

With reference to your letter No 3240 dated 30-11-1910 on the subject of supplying the town of Muddebihal with water from the Kaskela Tank, I am directed to forward herewith copy of Chief Engineer's letter No 8058 dated 27-1-1912 (together with its enclosures in original for reference and return) submitting a project involving a capital outlay of Rs 35,653 and a recurring charge ranging from

over

SUBJECT



1884. IV 1-5-13 120

From
The Deputy Commissioner
Ranjgaon District

To
The Secy to the Govt of Central Provinces
General Dept

Dated 29th April 1912
Despatched 30th
Received
General No. C-36
No.
Enclosure No. 5 folios

Subject Ranjgaon Municipal Council's Resolution re Maintenance of waterworks in the Ranjgaon Municipality

No. 536
536

Office of the Deputy Commissioner
Mysore District

Mysore 29th April 1912



From

C. S. Balasundaram Iyer Esq, B.A.
Deputy Commissioner,
Mysore District

To,

C. S. Balasundaram Iyer Esq, B.A.
Offg: Secretary to the
Government of Mysore
General and Revenue Depts
Bangalore

Sir,

As called for in your letter No: 5796 dtd: 23.04.9 dated 21-2-12 I have the honor to submit herewith the Municipal Commissioners resolution in the matter of providing funds for carrying out and maintaining water-works in the Municipality. The Municipal Council are of opinion that the Estimated Capital outlay viz. Rs 35,653/- may be debited to Municipal and Mysore funds in equal proportions and that the annual recurring charges be debited to the above funds in

in the proportions of $\frac{2}{3}$ and $\frac{1}{3}$ respectively

2 The enclosures received with the letter under reply are herewith retransmitted

I have the honour to be
Sir
Your Great obedient Servant

[signature]
Accountant General & Comptr
for Offg Deputy Controller
(absent from Head Quarters)
Deputy Controller

By

Forms 26] 275

File No. 30 2/7 D

Serial No. 11

Diary No of letter replied to 6384

General and Revenue Secretariat

(Pub)

, the 19

Date of issue 28.5.12

Signed by MrKMR

To The Deputy Commr

Mysore

Sir

With reference to your letter no 536 dated the 29th April 1912 reporting that the Pub Committee of Nanjangud proposed that the initial charges of water supply to Nanjangud amounting

over

SUBJECT

Exclusion of establishment charges

To Rs 8,61,3 may be met from the municipal funds in equal proportions as the maintenance charges from the same funds in the proportion of two thirds & one third.

I am directed to inform you that the annual income of the Sri Sankaranarayanaswamy temple is estimated at Rs 24066-12-0 per annum and the Excess revenue of the temple is expenditure which is under the consideration of Govt, when sanctioned, leaves a margin of only about Rs 500/- a year for the repairs of the temple The Inspector Devasthanams Board instructed to Commutate anything towards the Cost of water supply to the

Municipality ~~should~~ is not liable to contribute anything towards the water supply to the as the

List of enclosures,

Copied by

Examined by

GPB—10,000—26-9-11.

GRS 27]

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form)

3

Nasyuwaged on the circumstances, I am to request you to be so good as to state how the charges will be met

2) The estimate & other enclosures are herewith returned for reference and resubmission.

I have etc

24/5/12 For Secy

Dsd

18/5/12

27/5/12

From Deputy Commissioner
Mysore District

To The Secretary to Govt
Genl & Rev Deptt

Dated 18th Septr 1912

Despatched 19th

Received

General No 150
No

Enclosure No. File

Subject Records —
water supply to
Ranganathan town

1874

Office of the Deputy Commissioner
Mysore District.

Dated, Mysore, 18th September 1912

From

K.Krishna Iyer, Esquire.,
Offg. Deputy Commissioner
Mysore District.

To

K.R.Srinivasaiengar, Esquire., M.A.,
Secretary to the Government of Mysore
General and Revenue Department,
Bangalore.

Sir,

With reference to your letter No. 9029 Ml. 267-07-11 dated 28th May 1912 regarding the funds required for the water supply project of Nanjangude town, I have the honor to submit herewith the entire correspondence ending with Nanjangude Division Assistant Commissioner's Wadi No 538/18 dated 7th August 1912. It will be seen from the above that the Ml.Council are prepared to meet both the initial cost and annual maintenance charges. It is proposed to borrow from Government one half of the estimated amont of the initial cost (Viz., Rs. 17826/8) and to meet the other half from the balance at the credit of the municipality and to pay the loan by annual instalments of Rs. 1000/-.

The revision of housetax is expected to result in an increase of Rs.2000/- and an increase of Rs. 1000/- under tolls is anticipated. The levy of water tax is expected to yield a revenue of Rs. 2000/- The Municipal Council propose to appropriate the above items of revenue to pay the annual instalment of Rs. 1000/- for discharging the loan and to meet the annual maintenance charges estimated at Rs.3614 Rs 4000/

The Nanjangude Municipality being a flourishing one and having a big balance at its credit (Viz., Rs.26,764/-) on the 1st July of 1912, I request that Government may be pleased to sanction the proposals of the Municipa Council.

35

43.

The enclosures received with the letter under reply are -- herewith retransmitted.

I have the Honor to be,

Sir:

Your most obedient Servant,

Offg. Deputy Commissioner

Mysore District.

G.R.S 26]

File No. 36 / 26 / 07

Serial No. B

Diary No of letter replied to 1914

Govt 131/12

& Polit

No 3594 dated 16/12.

General and Revenue Secretariat

(Govt)

, the 19

To

The Dy Commr

Mysore Dt

Date of issue 16/12/12

Signed by

Govt,

With reference to the correspondence ending with your letter no. 150 dated the 18th Sept: 1912 reporting that the 2nd Council of Nanjangud anticipate an increase of Rs 5000 in their income as noted in the margin,

over

Land Cess	Rs 2000
Tolls	1000
Water Cess	2000
	5000

SUBJECT

16/12/12

3)

from which they propose
to meet the annual maintenance
charges of water supply to the
town & the annual instalment
payable to discharge the loan on account of
solicited from Govt. I which cost
am directed to request
you to be so good as to
state the basis or data
on which the above estimate
of anticipated increase in
the receipts has been arrived
at and to submit a supplementary
statement containing
detailed information with
regard to the proposed rate
of tax, nos of houses, nos of
carriages from which both
expected to be realised & other
particulars.

List of enclosures,

2) I am also to observe
that the present estimates
of the initial cost & main-
tenance charges do not
include charges on account

Copied by

Examined by

GRS 27]

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form.)

of establishment & tools & plant & to request you to be so good as to state the exact amount of loan required from Govt & how the maintenance charges & the annual instalment of loan will be met. =

3) The enc: to your letter are returned herewith. I have the honour to be, Sir, Your obedient servant,

4 A very early reply is requested

For Secy

TRS 69

13/11/12

17

39-67/C7

G.R.S 26]

File No

Serial No.

Diary No of letter replied to

No 5164

Revenue 1-07-
917 113

General and Revenue Secretariat

( )

, the *19*

To

My dear Sir,

Date of issue 17.1.13

Signed by MJGR

Please refer to the correspondence ending with this office letter no. 3564 Rev 267-07 dated the 8th Nov 1912 regarding water supply to Nanjangud. In the question is disposed of early I am requested you to

over

SUBJECT

17/1/13

that the matter as now urged and
[illegible] expedite the
and that the
submission of information
[illegible] in this office
letter ended above, with
complete record of the
case may be expedited.

Yours sincerely

17/1/13

K. Letheby Esquire M.A
J.P. Council
Mysore

List of enclosures,

Copied by

Examined by

GPB—10,000—23-6-11.

412
Office of the Deputy Commissioner
Mysore District

D453 Dated, Mysore, 31st January 1913

From

K. Chandy, Esquire, B A.,
Deputy Commissioner
Mysore District

To

K R Srinivasiengar, Esquire, M A,
Secretary to the Government of Mysore
General and Revenue Departments

Sir,

With reference to your letter No 3594/ M1 267-07-13 dated 18-11-12 calling for further particulars re funds required for water supply project of Nanjangud town, I have the honor to submit herewith copy of letter No 46 dated 29-1-13 from the Assistant Commissioner, Nanjangud Division, pointing out ways and means for the purpose. In agreeing with the views of the Sub Division Officer, I beg that Government may be pleased to sanction from temple funds a sum of Rs 10000/- towards the initial cost and a sum of Rs 1388/- anually towards the maintainance charges, the remainder of the estimated cost being debited to Municipal funds as proposed by the President of the Council.

2 The Sub Division Officer has not given sufficient details as regards the proposed increase in the items of Municipal Revenue as required in the Government order, but to avoid further delay, his figures, which appear to be fairly accurate are submitted If the principle of paying a portion of the annual maintenance charges from the temple funds is approved, the scheme is financially sound, even though there might be fluctuation in Municipal income.

The entire correspondence in the matter is herewith remitted.

I have the honor to be,
Sir,
Your most obedient servant,

K Chandy
Deputy Commissioner
Mysore District

1913

From The Deputy Commissioner
Bangalore Dist

To The Secretary to Govt
of Mysore
Genl & Rev Departm
Bangalore

Dated 31st January 1913
Despatched 1st February 1913
Received
General No. 412
No
Enclosure No One & 1 fol

Submits further proposals for funds required for the
- Duffly project of Bangalore Town.

No. 46
29-1-1913
In Nos. 6

Office of the President of the
Municipal Council of the
Nanjangud Town
Dated 29th January 1913

Nagar Subba Rao Esqre. B.A
President of the Municipal
Council Nanjangud Town

To K Thandy Esq B.A
Deputy Commissioner
Mysore District

Sir,

With reference to your Memo No 2164 dated 29th November 1912 in re the water works for the town of Nanjangud, I have the honour to forward herewith Copy of the Resolutions regarding the matter passed by the Municipal Councillors at a Special meeting held on the 12th January 1913 The Councillors are of opinion that, Should a loan be taken from Government of half the actual Cost of the Scheme Namely Rs 17,312/- it becomes unavoidable to increase the existing Mohatarfa tax three times, So as to secure the collection of

(2) to meet the annual working charges,
as well as the annual instalment of the
loan with interest, and that this sudden
increase is likely to be felt unbearable
by the people. In these circumstances
the Councillors again represent that these
costly waterworks being particularly in the
interest of the large number of pilgrims who visit Constantly
this town of religious importance, it is
nothing but reasonable that a portion of the
initial cost as well as the annual
working charges should be met from the
temple funds and that if the Contribution
be secured the Municipality has to find
funds to meet merely two thirds of the
annual working charges namely Rs 2930/-
and finally that this amount could be
easily secured firstly by increasing
the existing Mohatarfa by 50/- percent.
Secondly by the imposition of water tax
of Rs 1000/- on the whole, and lastly
and lastly by the increase of Rs 1000/-
of the toll on carts already realized in the
current year as per full particulars
shown in the appended statement. The
Councillors therefore request that the
Government may be again moved to reconsider
their order about meeting a portion of the
cost of the works from the temple funds
and to fix it at one fourth from the temple funds or
half the initial cost namely Rs 17312/-,
and one third of the annual maintenance

charges, namely Rs 1463/- per annum. The Dharmadarsis of the temple and also the Residents of the town, are quite agreeable to the temple funds contributing such portion of the initial cost, and of the annual working charges as the Government may decide fit. A Copy of the Resolution passed by the Dharmadarsis of the temple in the matter and also a representation from the residents of the Town of Mangalore are enclosed for information

2 The balance at the credit of the Mangalore Municipality is Rs 28,018/- on the 30th June 1912 The required minimum balance of one-fourth the total Revenue of the Municipality namely Rs 3000/ being deducted the amount available immediately for this work is Rs 25,018/-. Again it would appear from the Amildar's report No 137 dated 28th January 1913, that the balance of the credit of the Sri Kaduke - Swara Swami temple was Rs 23,385/ at the Commencement of the current year.

3 The total cost of the water works including establishment charges and sale is Rs 35688/. As the Municipality can immediately spare Rs 25000/ as explained above, the balance viz Rs 10,000/. may

3. Conveniently be spared from the temple funds so as to enable the work being started at once

4 As regards meeting the annual maintenance charges of Rs 4388/ from the enclosed statements it will be seen that the municipality is quite at present in a position to anticipate an increase Rs 3000/, and so until it can find other means of improving its income it is unavoidable that the balance of the maintenance charges viz Rs 1388/. should also be paid from the temple funds at least for some years

5 Considering that these works are particularly in the interest of the temple and that the persons interested in the temple are agreeable to the temple funds contributing towards both the initial cost and the maintenance charges I beg that you will be so good as to move the government to kindly sanction from the temple funds Rs 10,000/. towards the initial cost and Rs 1388/. annually towards the maintenance charges

6. The entire records bearing on the subject are herewith forwarded

I have etc.

Sd/- N Subba Rao

President of the Municipal Council
Nanjangud

Copy
N Chandy
Deputy Commissioner
Kg Mysore District

Statement showing the particulars of House tax, Shop tax, Tolls and Water tax in the ba the 27th January 1913. (Vide Deputy Commissioner's

Sl. No.	Item of tax	Income in 1911-12	Expected income	Increase	General
1	House Tax	1550	2320	770	
2	Shop Tax	857	1087	230	
3	Tolls on Carts	3480	4480	1000	
4	Water tax		1034	1034	
	Total	5887	8921	3034	

The increase are The amount is likely of the The increase

Office of the Municipal President
Hanging down

Statement showing the Income from House tax, Shop tax, Tolls and Water tax in the Municipality for the 27th January 1913. (Vide Detail Communication)

Serial No.	Item of Tax	Income in 1911-12	Expected income	Increase	Decrease	
1	House Tax	1550 -	2320 -	770 -		The increase is due to the increase in the number of houses
2	Shop Tax	857	1087 -	230 -		The increase is likely to be in the number of shops
3	Tolls on Carts	3480 -	4480 -	1000 -		The increase is due to the increase in the number of carts
4	Water tax		1036	1034 -		The increase is due to the increase in the number of pipes
	Total	5887 -	8921 -	3034 -		

Office of the Municipal President
Nanyang Town
Dated the 27th January 1913

of 11-12 and expected income under
the Town Municipality as ascertained on
Memo No 2164 dated 27th November 1912
Rs 1,67,075/-

Remarks (Grounds for increase or decrease as the case may be)

The number of houses in the town is 1245 and the proposed being 50 percent, if the proposed income is possible by virtue of the house tax.

Proposed increase is 25 per cent of the present income under this head, there are 165 shops and the revision of shop tax to give more than the amount shown as the value is daily increasing.

Actual income secured under this head of Rs 64,000/- current July, in the expected increase is nearly Rs 80,000/-

Population of the town is 7000 and the expected work at the rate of ½ of a Rupee per head remains.

Dy Commissioner
Dist

IV – VII 97 C 4, 10/5/13 CA

1913

105 From The Deputy Commissioner
Mysore.

To The Secretary to Government
of Mysore
Genl & Revenue Depts
Bangalore

Dated 8th March 1913

Despatched

Received

General No. 509
No.

Enclosure No 1

Submits Mr. Aiyangar's Report re the Jola
Collection, in connection
with the Cost of the Water
Supply Project of Mr. Aiyangar
Town.

J 267

Office of the Deputy Commissioner.
Mysore District.
Dated, Mysore, 8th March, 1913.

From

K. Chandy, Esquire. B.A.,
Deputy Commissioner,
Mysore District

To

K. R. Srinivasaiengar, Esquire, M A.,
Offg. Secretary to the Government of
His Highness the Maharaja of Mys

In continuation of this office letter No. 412-d 31-1-13 reporting on the sources to meet the cost of th water supply project of Nanjangud town, I have the ho to subrit herewith Nanjangud Taluk Amildar's report N 159 dated 1st instant pointing out the several items forming the "Golaka" collection . It is reported th the annual "Golaka" collection will aggregate to Rs. 1820.

I have the honour to be,
S i r,
Your most obedient servant,

Deputy Commissioner,
Mysore District.

[redacted]

54

G.R.S. 28]

267
67

File No
Serial No

Diary No of letter replied to 4 5 32

Proceedings of the Government of His Highness the Maharaja of Mysore

GENERAL AND REVENUE SECRETARIAT
(Pub)

the 191

READ— The following correspondence on the subject of improved water supply to the town of Nanjangud

(1) Correspondence ending with letter No. 915 dated the 29th January 1912 from the

over

Date of issue

Signed by

current file

SUBJECT

to the Engineer of Mysore.

(11) Correspondence ending with letter no. 412 dated the 31st January 1913 from the Deputy Commr. Mysore &c.

paper under disposal.

Order thereon

No.

As the original scheme of supplying water to the Nanjangud town from a storage tank had by the Kabbani channel proved unacceptable owing among other defects, to the apprehended insufficiency of water supply, the adoption of another suitable project had been engaging the consideration of Govt for some time past

GPB—80,000—8-10-11

G.R.S 27]

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form)

draft

2 After due consideration of the merits of the several alternative schemes proposed for adoption, Govt consider that the project for supplying water to the Nanjangud town from the Kapini river is the most suitable. The estimate & plans thereof will accordingly be forwarded to the Chief Engineer for necessary (& immediate action) in regards the cost, Govt agree with the Comm & the Dharmadarsi of the temple that a sum of Rs 10,000/- might be allotted out of the funds of the temple of Sri Nanjundeswara Swamy which is largely income from the Balance, the balance of Capital cost may be

money must from the reserve
or the credit of the
Municipal Council.

Steps should be taken or may
be placed at the disposal of the
P.W.D the funds required for
capital expenditure, so that
the works might be started
immediately

4) The Deputy Commissioner
is requested to submit,
after consulting the authorities
concerned complete proposals
regarding the maintenance
charges of water supply
schemes handed over by
the Municipality from
to time.

Secretary

The Dy. Commr. Nagpur
- Controller
- Chief Engineer
- Comptroller P.W. & Fy.
- Supdt. Nagpur Dy.
- Secretary Commr.

(8) [illegible]
or wholly by the
Govt.

5) As soon as depn.
rate scheme
regarding maintenance
charges of the Water
supply works is offered
by the Municipal Council
awaiting disposal of
funds for capital
expenditure on the disposal
of the Govt. the Municipality
may be allowed to start
the work by the

same funds in the proportion of ½

To Dy Comr Mysore no 9029 dy 28.5.12
Requests him to state how in the circum
charge will be met

From the same office no 150 dy 18-9-12 (D 18
States that the Md Council are willing to
pay their funds the instal and recurring
charges and beg for a loan of ½ the instal
pay the State funds to be repaid by annual
instalments of Rs 1000/-

To Dy Comr Mysore no 3594 dy 18-11-12
Requests him to state the basis on data
with the above estimate of anticipated
crease of the receipts has been arrived at

From Dy Comr Mysore D.O no 5164 dy 17-1-13
Requests him to treat the matter as very
and expedite the submission of information
called for in 8(13)

From the same office no 4128 dy 31-1-13 (D no 4522)
Agree with the views of Nanjangud Sub-Div Off
and recommends that Rs 1000/- may be sanctio
from Temple funds towards the initial cost and
Rs 387/- be made available annually from the Dty
Fd towards the maintenance charges

From the same office no 509 dy 8-3-13 (D no 5309)
Reports that the annual kolaka collection
the Nanjangud temple aggregates to Rs 1,350/-
with Rs 1000/- as already reported